



MACHINE SHOP

- **Turning**
 - Centre lathe
 - Max. turning length: 18,000mm
 - Max. turning diameter: 2,500mm
 - Max. diameter in front of support: 2,500mm
- Carousell lathes
 - Max. turning height: 2,500mm
 - Max. turning diameter: 4,000mm
- **Milling**
 - Horizontal boring machines
 - Max. transverse movement: 4,850mm
 - Max. working height: 4,450mm
 - Spindle diameter: 175, 200, 250mm
- Portal milling machine for square ingot milling
 - Working length: 9,500mm
 - Working width: 2,100mm
 - Working height: 900mm
- **Boring**
 - Horizontal boring machines
 - Parameter for analogue milling
- Gun drilling machine
 - Max. drilling length: 10,000mm
 - Max. drilling diameter: 380mm
- Honing machine
 - Max. honing diameter: 450mm
 - Max. honing length: 10,000mm
- **Sawing**
 - Max. dimensions: 1,200 x 1,080mm
- **Crane carrying capacity**
 - 75t

Test procedures

- Non-destructive material testing
- Destructive testing
- Metallographic examinations
- Chemical analysis
- Supplementary testings via cooperation partners

Management system certifications

- ISO 9001
- ISO 14001
- ISO 50001
- Pressure Equipment Directive 2014/68/EU
- Nuclear Safety Standards Commission (KTA) 1401

Areas of application - a selection

AUTOMOTIVE

MOULD PRODUCTION

MECHANICAL ENGINEERING AND PLANT CONSTRUCTION

LARGE ENGINE INDUSTRY

OIL AND GAS EXTRACTION

POWER-GENERATING INDUSTRY

VESSEL CONSTRUCTION

RAILWAY SYSTEMS

CONSTRUCTION AND DRILLING EQUIPMENT

GEAR AND ENGINE CONSTRUCTION

CHEMICAL AND PETRO-CHEMICAL INDUSTRY

ANIMAL FEED INDUSTRY

FORGING TECHNOLOGY

Make us your first port of call

Rising successfully to the challenge together: Schmedewerke Gröditz GmbH always likes to engage in collaborative partnerships to achieve the best results. For the full duration of every project. Because the best result is always individual. Just let us know what we can do for you.

Schmedewerke Gröditz GmbH
 Riesaer Straße 1
 01609 Gröditz | GERMANY
 T +49 (0)35263 62-0

GMH Gruppe
www.gmh-gruppe.de



DIVERSITY IS OUR STRENGTH

Schmedewerke Gröditz GmbH forging technology





FOR EVERY CHALLENGE – A solution

Whether it is a question of open-die forged parts and ring-rolled products made of unalloyed, alloyed and high-alloyed steels, in heat treatment as well as in machining, Schmiedewerke Gröditz GmbH is renowned for diversity.

Expertise based on 240 years of forging experience at our steel facilities in Gröditz has created the solid foundation for our broad range of products and services - which provides customers all around the world with the best solution to suit their needs. Our leading edge: our own on-site steel works as well as an ESR plant in which 300 steel grades in over 2,000 analysis modifications are produced. We work hand in hand, from the raw material to the finished product, to achieve results of the highest quality.

A tradition in innovating

Our new ideas help shape the future of technology. Using powerful machinery as well as stainless steels distinguished by an outstanding degree of purity as well as an even microstructure and resistance to wear and corrosion, we continually produce new products according to individual customer requirements. Always collaborating with our customers to make steel even better.

Unique diversity

Partner for many sectors

Irrespective of how demanding the specific purpose of a forged part or ring-rolled product may be, or the technical demands on heat treatment or machining - we meet exact customer requirements, always with top precision. Numerous sectors benefit from this, including mechanical engineering and plant construction, the power generating industry, the chemicals industry, the animal feed industry, mould production as well as railway vehicle manufacturing.

For the region and the environment

Since its establishment in 1779, Schmiedewerke Gröditz GmbH has been deeply rooted in the local area. We live and work in harmony with the region, and take our responsibility for current and future generations seriously. Environmental protection is extremely important to us. Which is why we focus on a sustainable environmental and energy management system, with the aim of avoiding environmental pollution and reducing energy consumption. For Gröditz, and for our future.

Our range of products and services

Using a wide variety of materials, and in optimally coordinated processes with our own on-site steel works as well as an ESR plant, we produce high-quality products in the forge and ring-rolling plant. In this context we offer a broad spectrum of dimensions, heat treatments and processing options, in exact compliance with customer requirements.

STEEL WORKS

- 50 ton-arc furnace
- Ladle furnace
- VD/VOD-plant
- Ingot casting in bottom casting process
- Forging ingots up to 76.5t

ESR plant

- ESR double plant with ingot retractor and electrode changing device
- Ingot weights of 3.8t to 84t

Materials

- High quality and high grade structural steels
- Nitriding steels and case hardening steels
- Tool steels (cold work and hot work steels)
- Plastic mould steels
- Ledeburitic steels
- Stainless steels (austenitic steels, ferritic steels, compound steels, martensitic steels)
- ESR steels

RING ROLLING MILL

- Hard-metal saws, band saws
- Rotating hearth furnace, reheating furnace
- Punching and upsetting press
- Expanding press
- Radial/axial-rolling machines max. up to radial 330t/axial 260t
- Finishing shop
- MT equipment
- Heat treatment

Products

- Outer diameter OD (finished dimension): up to 3,900 mm
- Height H (finished dimension): up to 570 mm
- Delivery weight: up to 4,000 kg
- Dimension as rolled: OD < 4,000 mm/H < 600 mm

Individual technological testing necessary.

Heat treatment*

- Car bottom furnaces 7,800 x 3,800 x 2,150 mm
- 8,500 x 4,000 x 1,700 mm
- Annealing hoods 10,000 x 4,000 x 1,600 mm
- High-temperature chamber furnaces 2,800 x 2,800 x 1,500 mm
- High-temperature chamber furnaces 2,800 x 2,800 x 1,500 mm
- High-temperature double chamber furnace 2,800 x 5,600 x 1,500 mm
- Cooling tanks 4,500 x 4,650 x 4,500 mm (95 m³)
- Medium: Water/polymer

OPEN-DIE FORGE

- Open-die forging presses (27 MN and 60 MN)
- TR-forging die for cgf-forged crankshafts
- Forging furnaces and annealing furnaces
- Finishing shop
- Test centre

Products

- **Round steel bar**
Piece weight: max. 56t
Diameter: 300 mm to 1,400 mm
Length: 2,000 mm to 12,000 mm
- **Flat steel bar**
Piece weight: max. 52t
Width: 500 mm to 2,000 mm
Height: 100 mm to 1,000 mm
Length: 2,000 mm to 10,000 mm
- **Square steel bar**
Piece weight: max. 52t
Edge length: 300 mm to 1,300 mm
Length: 2,000 mm to 10,000 mm
- **Contoured forgings**
Piece weight: max. 42t
Diameter: 300 mm to 2,000 mm
Length: max. 14,500 mm
- **Disks**
Piece weight: max. 38t
Diameter: 1,000 mm to 3,900 mm
Height: min. 100 mm
- **Rings**
Piece weight: max. 38t
Outer diameter: 1,000 mm to 4,000 mm
Width: 400 mm to 2,000 mm
Wall thickness: min. 100 mm

■ Hollow bodies (bushes)

Piece weight: max. 35t
Inner diameter: 300 mm to 900 mm
Length: 1,500 mm to 6,000 mm
Wall thickness: min. 100 mm

Other dimensions available on request.

Heat treatment*

- **Soft annealing, normalising, austenitizing and tempering, stress-relieving**
Horizontal furnaces
max. 14,000 x 2,500 x 2,200 mm
max. 10,000 x 4,500 x 2,300 mm
max. 11,000 x 3,000 x 2,500 mm
Vertical furnaces
max. 1,600 x 8,300 mm
- **Quenching in oil**
Horizontal
max. 14,500 x 1,800 x 2,400 mm
max. 9,500 x 2,800 x 1,900 mm
max. 5,500 x 4,600 x 3,200 mm
Vertical
max. 1,600 x 8,300 mm
- **Quenching in water**
Horizontal
max. 9,500 x 3,300 x 1,900 mm
Vertical
max. 1,600 x 8,300 mm
- **Heat stability test**
Diameter: max. 1,800 mm
Length: 2,800 mm - 10,000 mm
Testing range length: max. 6,500 mm
- **Piece weight**
Horizontal furnace: max. 60t
Vertical furnace: max. 40t
Heat stability test: max. 40t